00000177

SAFETY DATA SHEET

LAVO 11900 Boul. Saint-Jean Baptiste Montréal, QC, H1C 2J3 CANADA 1-800-361-6898

PRODUCT: Arctic Power Laundry detergent OXI

SECTION 01: IDENTIFICATION

Product identification Product code Recommended use Manufacturer by	AP F05-2520 Laundry detergent. Domestic use.
	CANADA

SECTION 02: HAZARD IDENTIFICATION



Signal word Hazard classification Hazard statements Precautionary statements	Eye Irritation Category 2A. Skin Corrosion/Irritation Category 3.
---	---

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS		
CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Ethoxylated C12-15 Alcohols	68131-39-5	1.0-5.0
Sodium Carbonate	497-19-8	0.1-1.0
Fragrance	Mixture	0.1 - 0.5

SECTION 04: FIRST-AID MEASURES

Eve contact	Immediately hold eyelids open and flush with water for at least 15 minutes. Check for and
	remove any contact lenses if easy to do. Call a poison center or physician.
Skin contact	Wash affected area with large amount of water. Obtains medical attention if irritation
Inhalation Ingestion	develops or persists. Seek medical attention. If symptoms develop move victim to fresh air. Call IMMEDIATELY a poison centre or a doctor. Do not induce vomiting or give anything by mouth to an unconscious person.
Acute symptoms/Effects	
Eyes: Ingestion:	Causes eye irritation. May cause stomach distress, nausea or vomiting.
Inhalation:	If inhaled, move to fresh air.
Skin:	Not expected to present a significant skin hazard under anticipated conditions of normal
Delayed symptoms/Effects General advice	use. Prolonged or repeated contact may cause drying, cracking and defatting of the skin. Consult a physician. Show this safey data sheet to the doctor.

CODE: APF05-2520



SAFETY DATA SHEET

PRODUCT: Arctic Power Laundry detergent OXI

SECTION 05: FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.
Special protective actions for fire-fighters.	Firefighter should wear proper protective equipment and seft contained breathing
	apparatus with full face piece operated in positive pressure mode.
Specific hazards arising from the chemical	May include and are not limited to:. Oxides of carbon.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personnal precautions	Restrict access to area until completion of clean up. Evacuate personnel to safe areas. All persons dealing with clean up should wear the appropriate protective equipment including self contained breathing apparatus. Use personnel protective equipment. Ensure adequate ventilation.
Environmental precautions	Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Prevent further leakage or spillage if safe to do.
Methods and materials for containment and cleaning	d Stop leak if you can do so without risk. Contain and absorb spilled liquid with non combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal. Flush with water. Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required. Small spills may be absorbed with non-reactive absorbent and placed in suitable covered, labeled containers. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.
SECTIO	

SECTION 07: HANDLING AND STORAGE

Precaution f	for saf	e hanc	dling	

Use good industrial hygiene practices in handling this material. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Keep container tightly closed.

Condition for safe storage..... Storage temperature.....

Keep out of reach of children. Keep container tightly closed. Keep at ambient temperature. 5-30°C.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	ACGIH TLV TWA STEL		OSHA PEL PEL STEL		NIOSH REL
Ethoxylated C12-15 Alcohols	Not available	Not available	Not available	Not available	Not available
Sodium Carbonate	No information available	No information available	15mg/m3	No information available	No information available
Fragrance	Not available	Not available	Not available	Not available	Not available
OSHA PEL:		 Occupational Safety and Health Administration - Permissible Exposure Limits. Immediately Dangerous to Life or Health. General ventilation. 			e Limits.
	ection:	Wear safety glasses with side shields or goggles.			
General hygiène conside	erations	0 11			

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Odour threshold (ppm) pH Density Melting point / Freezing point (°C)	Blue. Perfumed . No information available. 10.0-11.0. 1.02-1.04. Not available.
Boiling point (°C) Flash point (°C)	
	No information available.

ECIS

PRODUCT: Arctic Power Laundry detergent OXI

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Evaporation rate	Not available.
Vapour pressure (mmHg)	Not available.
Relative Vapour Density (AIR=1)	Not available.
Solubility in water (%w/w)	Soluble in water.
Partage coefficient n-octanol/water (log)	Not available.
Auto ignition temperature (°C)	Not available.
Decomposition temperature	Not available.
Refractive Index	7.0-9.0.
Viscosity	200 - 375 cPs.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Chemical stability	
Possibility of hazardous reactions	
Conditions to avoid	
Incompatible materials	4
Hazardous decomposition products	

This product may react with strong acids. Stable under the recommended storage and handling conditions prescribed. Hazardous polymerization cannot occur. Do not mixe with incompatible materials. Acids. May include and are not limited to:. Carbon oxide.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Ethoxylated C12-15 Alcohols	Not available	Oral Rat 300-2000mg/kg; Dermal Rabbit >2000mg/kg;
Sodium Carbonate	Inh Rat 2hrs >2300mg/m3;	Oral Rat >2800mg/kg; Dermal Mousse >2210mg/kg;
Fragrance	Not available	Dermal >2000mg/kg;
Potentiel effects on humans InhalationEye contactSkin contact IngestionSensitization This mixture contains: Target organs Mutagenicity Carcinogenicity Carcinogenicity Carcinogenicity Teratogenicity Specific target organs toxicity - Single exposure Specific target organs toxicity - Repeated exposure Aspiration hazard Information on the likely routes of exposur Symptoms related to the physical, chemica and toxicological characteristics Interactive effects Chronic effects on humains	Not available Dermal >2000mg/kg; May cause respiratory irritation. Causes eye irritation. May cause skin irritation with prolonged or repeated exposure. May cause stomach distress, nausea or vomiting. Non hazardous. Perfume: 0.0-0.2%. Not available. Not available. Not available. Perlonged or repeated contact may cause drying, cracking and defatting of the skin. Not available. Not available.	

SECTION 12: ECOLOGICAL INFORMATION

Toxicity
Persistance and degradability
Bioaccumulation potency
Mobility in soil
Other adverse effects

Not available. Expected to be biodegradable. Not available. Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods	Disposal	methods
------------------	----------	---------



CODE: APF05-2520

SAFETY DATA SHEET

PRODUCT: Arctic Power Laundry detergent OXI

SECTION 14: TRANSPORT INFORMATION

TDG Classification DOT US: Department of Transport US IMDG: International Maritime Dangerous	Not regulated.
Goods	
IATA: International Air Transportation	. Not regulated.
Association	

SECTION 15: REGULATORY INFORMATION

WHMIS Classification.....

. This product has been classified in accordance with the hazard crireria of the Controlled Products Regulations and this document contains all the information required by the Controlled Products Regulations.

SECTION 16: OTHER INFORMATION

DET 7-9 Disclaimer:	The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. LAVO expressly disclaims all expressed or implied warranties for the accuracy or completeness of the data contained herein and assumes no responsibilities for any involved damages by above data. Products users have to do their own tests to establish the applicability of the information for a specific use of the product. SDS data does not apply to use with any other product or in any other process.
Prepared by:	Regulatory Affairs
Preparation date	2022-12-22

Powered by



Page 4

CODE: APF05-2520